










S/N	Model	Specifications	Image
1	Poly Studio X32	<p>Premium all-in-one video bar for huddle and small rooms.</p> <p>Room size- 15 ft. X 10 ft.</p> <p>Camera - 4K 120-degree HFOV .</p> <p>MIC pickup range upto 15ft/4.5m.</p> <p>Poly DirectorAI - Group framing, speaker framing, and people framing.</p>	
2	Poly Studio X52	<p>All-in-one bar for medium rooms.</p> <p>Room size- 20 ft. x 15 ft.</p> <p>Camera - 4K 95-degree HFOV.</p> <p>Microphone pickup range upto 20 ft/6.09m.</p> <p>Poly DirectorAI - Group framing, speaker framing, and people framing.</p>	
3	Poly Studio X72	<p>All-in-one bar for large rooms.</p> <p>Room size- 28 ft. x 15 ft.</p> <p>Camera - Dual 4K 70 and 120-degree HFOV</p> <p>Microphone pickup range upto 25 ft/7.6m.</p> <p>framing.</p>	
4	Poly Studio G62	<p>Seamlessly connects to cameras, microphones and 3rd party components.</p> <p>Magnetic mounts and powered by POE + for easier installations.</p> <p>Built-in video apps for native full-featured experiences.</p> <p>Pair with poly camera and audio peripherals to include Poly DirectorAI camera framing and tracking features and NoiseBlockAI.</p>	
6	Poly Studio R30	<p>USB Video bar ideal for small conference spaces.</p> <p>Camera - 4K 8MP 110-degree HFOV</p> <p>Microphone Pickup range upto 15 ft/4.57 m.</p> <p>Camera framing technology like Speaker framing, Group framing, People framing and Presenter tracking.</p> <p>Mic & Speaker- Integrated mics and mono speaker.</p>	

7	Poly Studio USB	<p>USB Video bar ideal for medium conference spaces.</p> <p>Camera - 4K 8MP 110-degree HFOV. Microphone Pickup range upto 15 ft/4.57 m. Camera framing technology like Speaker framing, Group framing, People framing and Presenter tracking.</p> <p>Mic & Speaker - Integrated mics and stereo speakers with optional expansion mic.</p>	
8	Poly Studio V12	<p>Ideal for small rooms for the latest in video conferencing tech over USB (with PC room or BYOD use) with multiple power options.</p> <p>Camera - 4K 20MP 120 degree HFOV. Microphone Pickup range upto 15 ft/4.57 m. Camera framing technology like Speaker framing, Group framing and People framing.</p> <p>Mic & Speaker - Integrated mics and stereo speakers with optional Poly Studio A2 expansion mic.</p>	
9	Poly Studio V52	<p>Ideal for medium rooms for the latest in video conferencing tech over USB (with PC room or BYOD use).</p> <p>Camera - 4K 20MP 95-degree HFOV. Microphone Pickup range upto 20 ft/6.09 m. Camera framing technology like Speaker framing, Group framing, People framing and DirectorAI Perimeter.</p> <p>Mic & Speaker - Integrated mics and dual speakers with optional expansion mic.</p>	
10	Poly Studio V72	<p>Ideal for medium rooms for the latest in video conferencing tech over USB (with PC room or BYOD use).</p> <p>Camera - Dual 4K 20MP 120-degree and 70 degree HFOV. Microphone Pickup range upto 25 ft/7.62 m. Camera framing technology like Speaker framing, Group framing, People framing and DirectorAI Perimeter.</p> <p>Mic & Speaker - Integrated mics and two-way dual speaker with bass ports and optional expansion mic</p>	

11	HP poly Studio A2 Audio Brigde	<p>It is an audio connectivity hub that links multiple table microphones to HP Poly video conferencing systems.</p> <p>Power over PoE and PoE++</p> <p>Ports - 1× RJ-45 (10/100/1000 Mbps), 4× A2B microphone ports</p> <p>Audio Capacity - Supports scalable mic connections (up to 32 audio channels with compatible systems).</p> <p>Operating Temp - 0°C to 40°C</p>	
12	Hp poly Studio A2 Table Microphone	<p>Designed with four uni-directional cardioid microphone elements.</p> <p>Pickup Range - 1.8 m (6 ft) radius – Poly NoiseBlockAI off and 4.3 m (14 ft) radius – Poly NoiseBlockAI on.</p> <p>Frequency response - 100Hz to 20kHz</p> <p>(SNR) Signal to Noise ratio >68 dB</p>	
13	Poly Studio E60	<p>Dual-lens Motorized Pan-Tilt-Zoom (PTZ) MPTZ system.</p> <p>2 x 8MP Sensors with 4K UHD (3840 × 2160) resolution.</p> <p>Field of View- Diagonal (PTZ)- 78.1°,Horizontal (PTZ)- 71° and Horizontal (Panoramic) 107° with 12x Optical Zoom.</p> <p>Smart AI features like Poly Director AI, Group Framing and Presenter Tracking.</p> <p>Dual-Element beamforming microphone array.</p>	
14	TC8 Touch Controller	<p>The Poly TC8 Touch Controller is an 8" touch interface designed for Poly video conferencing systems like the Poly Studio X50, Poly Studio X70, and Poly G7500. It features a 1280 × 800 IPS multi-touch display, one-touch meeting join, calendar integration, camera and call controls, and content sharing support for Microsoft Teams and Zoom Rooms.</p>	

15	TC10 Touch Controller	<p>The Poly TC10 Touch Controller is a premium 10" IPS multi-touch controller designed for Poly video conferencing systems and room scheduling applications. It features a 1280 × 800 HD touchscreen, one-touch meeting join, calendar integration, call controls, content sharing, and Zoom/Teams room management.</p>	 A photograph of the Poly TC10 Touch Controller, a 10-inch IPS multi-touch controller. The device is shown at an angle, displaying a dark interface with several icons and text. It has a sleek, modern design with a thin bezel and a stand at the bottom.
----	-----------------------	---	--